## EuroTec calculation service Quantitative determination timber deck



The specialist for fastening technology

by phone 02331 6245-444 · by fax 02331 6245-200 · by e-mail technik@eurotec.team

Please contact our technical department or use the free calculation services in the service section of our website.

Contact					
Trader:			_	Contractor:	
Contact person:			_	Contact person:	
e-mail:			_	Phone:	
Project:			_	e-mail:	
Project details					
	rivate	🗆 public		Substructure	a a /
la la	coof terraces,balcinies, ggias) lidden fastening				
Length Side A: (running in direction of the substructure)			_ m	Side A	
Length Side B:			_ m	Side B	
Centre distance e:			_ m	· ــــــــــــــــــــــــــــــــــــ	→
Total assembly height from (Top edge of ground/finished floor/roof ←			_ mm		~ ~
Nivello 2.0 required: (to compensate a sloped subsurface)	□ Yes	🗆 No		System profile EVO Light 34 x 32 x 4000 mm W x H x L	
Dimensions of decking boards: _ (Strenght x width)			_ mm	<u> </u>	
Boards grooved: (if yes, please enclose a sketch showing g	□ Yes roove)	🗆 No			
Type of wood:			_	System profile EVO 60 x 40 x 4000 mm W x H x L	Support profile HKP 60 x 100 x 4000 mm W x H x L
Timber substructure					
Dimensions of joist:			_ mm	<u> I</u> fi	
Timber type of joist:			_	System profile Eveco* 39 x 24 x 4000 mm W x H x L	□ System profile EVO Slim 60 x 20 x 4000 mm W x H x L
Deck edging end profile:	🗆 Yes	🗆 No		*e.g. in connection with Systemclip ECO	

## Sketch incl. dimensions:

										 				_	_				
<u> </u>																			
<u> </u>										 									
<u> </u>		 	 	 															
			 <u> </u>	 															-
		 	 	 -	 								 						
			 	 															-
			1	1															



The specialist for fastening technology