



The specialist for fastening technology

ICC-ES CERTIFICATE ■■■■

**OUR SCREWS
ARE NOW
ICC-CERTIFIED!**

PANELTWISTEC AG

SAWTEC

KONSTRUX ST



INTERNATIONAL CODE COUNCIL EVALUATION SERVICE

WHAT IS ICC-ES?


The abbreviation ICC-ES stands for the International Code Council Evaluation Service and represents the American counterpart to the European Technical Approval (ETA). The service conducts technical evaluations of construction products according to U.S. standards.

WHAT IS AN ICC-ES REPORT?

The ICC-ES Report confirms that the respective construction product meets the framework conditions of the American authorities and therefore contains the results, conclusions and recommendations of the respective evaluation. It includes information about which code requirements or acceptance criteria were used to evaluate a product and how the product should be labelled or installed.



Our complete report
with all parameters
can be found under
the QR code




SELF-TAPPING WOOD SCREWS



PANELTWISTEC AG

Washer head screw, zink-galvanized




ADVANTAGES

- Faster and simpler screwing-in
- Reduced splitting effect
- National and international approvals
- Contains no chromium(VI) oxide
- No knocking of the screws when screwing in with a TX drive

Art. no.	Imperial [in]	Thread [in]	Dimensions [mm]	Thread [mm]	Drive-bit	Box size
945947	1/4" x 1-3/16"	Fully threaded	6.0 x 30	Fully threaded	TX30 ●	100
945948	1/4" x 1-9/16"	Fully threaded	6.0 x 40	Fully threaded	TX30 ●	100
945712	1/4" x 2"	1.18	6.0 x 50	30	TX30 ●	100
945713	1/4" x 2-3/8"	1.42	6.0 x 60	36	TX30 ●	100
945716	1/4" x 2-3/4"	1.65	6.0 x 70	42	TX30 ●	100
945717	1/4" x 3-1/8"	1.89	6.0 x 80	48	TX30 ●	100
945718	1/4" x 3-1/2"	2.13	6.0 x 90	54	TX30 ●	100
945719	1/4" x 4"	2.36	6.0 x 100	60	TX30 ●	100
945720	1/4" x 4-3/8"	2.76	6.0 x 110	70	TX30 ●	100
945721	1/4" x 4-3/4"	2.76	6.0 x 120	70	TX30 ●	100
945722	1/4" x 5-1/8"	2.76	6.0 x 130	70	TX30 ●	100
945723	1/4" x 5-1/2"	2.76	6.0 x 140	70	TX30 ●	100
945724	1/4" x 5-7/8"	2.76	6.0 x 150	70	TX30 ●	100
945725	1/4" x 6-1/4"	2.76	6.0 x 160	70	TX30 ●	100
945726	1/4" x 7-1/8"	2.76	6.0 x 180	70	TX30 ●	100
945727	1/4" x 7-7/8"	2.76	6.0 x 200	70	TX30 ●	100
945728	1/4" x 8-5/8"	2.76	6.0 x 220	70	TX30 ●	100
945729	1/4" x 9-1/2"	2.76	6.0 x 240	70	TX30 ●	100
945730	1/4" x 10-1/4"	2.76	6.0 x 260	70	TX30 ●	100
945731	1/4" x 11"	2.76	6.0 x 280	70	TX30 ●	100
945732	1/4" x 11-7/8"	2.76	6.0 x 300	70	TX30 ●	100
945806	5/16" x 2-3/8"	1.89	8.0 x 60	48	TX40 ●	50
944588	5/16" x 3-1/8"	1.89	8.0 x 80	48	TX40 ●	50
944589	5/16" x 4"	2.36	8.0 x 100	60	TX40 ●	50
944590	5/16" x 4-3/4"	2.60	8.0 x 120	66	TX40 ●	50
944591	5/16" x 5-1/2"	3.74	8.0 x 140	95	TX40 ●	50
944592	5/16" x 6-1/4"	3.74	8.0 x 160	95	TX40 ●	50
944593	5/16" x 7-1/8"	3.74	8.0 x 180	95	TX40 ●	50
944594	5/16" x 7-7/8"	3.74	8.0 x 200	95	TX40 ●	50
944595	5/16" x 8-5/8"	3.74	8.0 x 220	95	TX40 ●	50
944596	5/16" x 9-1/2"	3.74	8.0 x 240	95	TX40 ●	50
944597	5/16" x 10-1/4"	3.74	8.0 x 260	95	TX40 ●	50
944598	5/16" x 11"	3.74	8.0 x 280	95	TX40 ●	50
944599	5/16" x 11-7/8"	3.74	8.0 x 300	95	TX40 ●	50
944600	5/16" x 12-5/8"	3.74	8.0 x 320	95	TX40 ●	50
944601	5/16" x 13-3/8"	3.74	8.0 x 340	95	TX40 ●	50
944602	5/16" x 14-1/4"	3.74	8.0 x 360	95	TX40 ●	50
944603	5/16" x 15"	3.74	8.0 x 380	95	TX40 ●	50
944604	5/16" x 15-3/4"	3.74	8.0 x 400	95	TX40 ●	50
944605	5/16" x 16-1/2"	3.74	8.0 x 420	95	TX40 ●	25
944606	5/16" x 17-3/8"	3.74	8.0 x 440	95	TX40 ●	25
944607	5/16" x 18-1/8"	3.74	8.0 x 460	95	TX40 ●	25
944608	5/16" x 18-7/8"	3.74	8.0 x 480	95	TX40 ●	25
944609	5/16" x 19-5/8"	3.74	8.0 x 500	95	TX40 ●	25
944610	5/16" x 21-5/8"	3.74	8.0 x 550	95	TX40 ●	25
944611	5/16" x 23-5/8"	3.74	8.0 x 600	95	TX40 ●	25
945750	3/8" x 3-1/8"	1.97	10.0 x 80	50	TX50 ●	50
945751	3/8" x 4"	2.36	10.0 x 100	60	TX50 ●	50
945752	3/8" x 4-3/4"	2.76	10.0 x 120	70	TX50 ●	50
945753	3/8" x 5-1/2"	3.15	10.0 x 140	80	TX50 ●	50
945754	3/8" x 6-1/4"	3.54	10.0 x 160	90	TX50 ●	50
945755	3/8" x 7-1/8"	3.94	10.0 x 180	100	TX50 ●	50
945756	3/8" x 7-7/8"	3.94	10.0 x 200	100	TX50 ●	50
945757	3/8" x 8-5/8"	3.94	10.0 x 220	100	TX50 ●	50
945758	3/8" x 9-1/2"	3.94	10.0 x 240	100	TX50 ●	50
945759	3/8" x 10-1/4"	3.94	10.0 x 260	100	TX50 ●	50
945760	3/8" x 11"	3.94	10.0 x 280	100	TX50 ●	50
945761	3/8" x 11-7/8"	3.94	10.0 x 300	100	TX50 ●	50
945762	3/8" x 12-5/8"	3.94	10.0 x 320	100	TX50 ●	50
945763	3/8" x 13-3/8"	3.94	10.0 x 340	100	TX50 ●	50
945764	3/8" x 14-1/4"	3.94	10.0 x 360	100	TX50 ●	25
945765	3/8" x 15"	3.94	10.0 x 380	100	TX50 ●	25
945766	3/8" x 15-3/4"	3.94	10.0 x 400	100	TX50 ●	25
100020	3/8" x 17-3/8"	3.94	10.0 x 440	100	TX50 ●	25
100021	3/8" x 18-1/8"	3.94	10.0 x 460	100	TX50 ●	25
100022	3/8" x 18-7/8"	3.94	10.0 x 480	100	TX50 ●	25
100023	3/8" x 19-5/8"	3.94	10.0 x 500	100	TX50 ●	25
100024	3/8" x 21-5/8"	3.94	10.0 x 550	100	TX50 ●	25
100025	3/8" x 23-5/8"	3.94	10.0 x 600	100	TX50 ●	25

PANELTWISTEC AG

Countersunk head screw, zink-galvanized




ADVANTAGES

- Faster and simpler screwing-in
- Reduced splitting effect
- National and international approvals
- Contains no chromium(VI) oxide
- No knocking of the screws when screwing in with a TX drive

Art. no.	Imperial [in]	Thread [in]	Dimensions [mm]	Thread [mm]	Drive-bit	Box size
945583	1/4" x 2-3/8"	1.42	6.0 x 60	36	TX30 ●	200
945584	1/4" x 2-3/4"	1.65	6.0 x 70	42	TX30 ●	200
945632	1/4" x 3-1/8"	1.89	6.0 x 80	48	TX30 ●	200
945633	1/4" x 3-1/2"	2.13	6.0 x 90	54	TX30 ●	100
945634	1/4" x 4"	2.36	6.0 x 100	60	TX30 ●	100
945635	1/4" x 4-3/8"	2.76	6.0 x 110	70	TX30 ●	100
945636	1/4" x 4-3/4"	2.76	6.0 x 120	70	TX30 ●	100
945637	1/4" x 5-1/8"	2.76	6.0 x 130	70	TX30 ●	100
945638	1/4" x 5-1/2"	2.76	6.0 x 140	70	TX30 ●	100
945639	1/4" x 5-7/8"	2.76	6.0 x 150	70	TX30 ●	100
945640	1/4" x 6-1/4"	2.76	6.0 x 160	70	TX30 ●	100
945641	1/4" x 7-1/8"	2.76	6.0 x 180	70	TX30 ●	100
945642	1/4" x 7-7/8"	2.76	6.0 x 200	70	TX30 ●	100
945643	1/4" x 8-5/8"	2.76	6.0 x 220	70	TX30 ●	100
945644	1/4" x 9-1/2"	2.76	6.0 x 240	70	TX30 ●	100
945645	1/4" x 10-1/4"	2.76	6.0 x 260	70	TX30 ●	100
945646	1/4" x 11"	2.76	6.0 x 280	70	TX30 ●	100
945647	1/4" x 11-7/8"	2.76	6.0 x 300	70	TX30 ●	100
944715	5/16" x 3-1/8"	1.89	8.0 x 80	48	TX40 ●	50
944716	5/16" x 4"	2.36	8.0 x 100	60	TX40 ●	50
944717	5/16" x 4-3/4"	2.60	8.0 x 120	66	TX40 ●	50
944718	5/16" x 5-1/2"	3.74	8.0 x 140	95	TX40 ●	50
944719	5/16" x 6-1/4"	3.74	8.0 x 160	95	TX40 ●	50
944720	5/16" x 7-1/8"	3.74	8.0 x 180	95	TX40 ●	50
944721	5/16" x 7-7/8"	3.74	8.0 x 200	95	TX40 ●	50
944722	5/16" x 8-5/8"	3.74	8.0 x 220	95	TX40 ●	50
944723	5/16" x 9-1/2"	3.74	8.0 x 240	95	TX40 ●	50
944724	5/16" x 10-1/4"	3.74	8.0 x 260	95	TX40 ●	50
944725	5/16" x 11"	3.74	8.0 x 280	95	TX40 ●	50
944726	5/16" x 11-7/8"	3.74	8.0 x 300	95	TX40 ●	50
944727	5/16" x 12-5/8"	3.74	8.0 x 320	95	TX40 ●	50
944728	5/16" x 13-3/8"	3.74	8.0 x 340	95	TX40 ●	50
944729	5/16" x 14-1/4"	3.74	8.0 x 360	95	TX40 ●	50
944730	5/16" x 15"	3.74	8.0 x 380	95	TX40 ●	50
944731	5/16" x 15-3/4"	3.74	8.0 x 400	95	TX40 ●	50
944732	5/16" x 16-1/2"	3.74	8.0 x 420	95	TX40 ●	25
944733	5/16" x 17-3/8"	3.74	8.0 x 440	95	TX40 ●	25
944734	5/16" x 18-1/8"	3.74	8.0 x 460	95	TX40 ●	25
944735	5/16" x 18-7/8"	3.74	8.0 x 480	95	TX40 ●	25
944736	5/16" x 19-5/8"	3.74	8.0 x 500	95	TX40 ●	25
944737	5/16" x 21-5/8"	3.74	8.0 x 550	95	TX40 ●	25
944739	5/16" x 23-5/8"	3.74	8.0 x 600	95	TX40 ●	25
945687	3/8" x 4"	2.36	10.0 x 100	60	TX50 ●	50
945688	3/8" x 4-3/4"	2.76	10.0 x 120	70	TX50 ●	50
945689	3/8" x 5-1/2"	3.15	10.0 x 140	80	TX50 ●	50
945690	3/8" x 6-1/4"	3.54	10.0 x 160	90	TX50 ●	50
945691	3/8" x 7-1/8"	3.94	10.0 x 180	100	TX50 ●	50
945692	3/8" x 7-7/8"	3.94	10.0 x 200	100	TX50 ●	50
945693	3/8" x 8-5/8"	3.94	10.0 x 220	100	TX50 ●	50
945694	3/8" x 9-1/2"	3.94	10.0 x 240	100	TX50 ●	50
945695	3/8" x 10-1/4"	3.94	10.0 x 260	100	TX50 ●	50
945696	3/8" x 11"	3.94	10.0 x 280	100	TX50 ●	50
945697	3/8" x 11-7/8"	3.94	10.0 x 300	100	TX50 ●	50
945698	3/8" x 12-5/8"	3.94	10.0 x 320	100	TX50 ●	50
945699	3/8" x 13-3/8"	3.94	10.0 x 340	100	TX50 ●	50
945703	3/8" x 14-1/4"	3.94	10.0 x 360	100	TX50 ●	50
945709	3/8" x 15"	3.94	10.0 x 380	100	TX50 ●	50
945711	3/8" x 15-3/4"	3.94	10.0 x 400	100	TX50 ●	50
100036	3/8" x 16-1/2"	3.94	10.0 x 420	100	TX50 ●	25
100037	3/8" x 17-3/8"	3.94	10.0 x 440	100	TX50 ●	25
100038	3/8" x 18-1/8"	3.94	10.0 x 460	100	TX50 ●	25
100039	3/8" x 18-7/8"	3.94	10.0 x 480	100	TX50 ●	25
100040	3/8" x 19-5/8"	3.94	10.0 x 500	100	TX50 ●	25
100041	3/8" x 21-5/8"	3.94	10.0 x 550	100	TX50 ●	25
100042	3/8" x 23-5/8"	3.94	10.0 x 600	100	TX50 ●	25

SAWTEC

zink-galvanized




Art. no.	Imperial [in]	Thread [in]	Dimensions [mm]	Thread [mm]	Drive-bit	Box size
954128	1/4" x 2-3/8"	1.42	6.0 x 60	36	TX30 ●	100
954129	1/4" x 2-3/4"	1.65	6.0 x 70	42	TX30 ●	100
954130	1/4" x 3-1/8"	1.89	6.0 x 80	48	TX30 ●	100
954131	1/4" x 4"	2.36	6.0 x 100	60	TX30 ●	100
954133	1/4" x 4-3/4"	2.36	6.0 x 120	60	TX30 ●	100
954135	1/4" x 5-1/2"	2.76	6.0 x 140	70	TX30 ●	100
954137	1/4" 6-1/4"	2.76	6.0 x 160	70	TX30 ●	100
954138	1/4" 7-1/8"	2.76	6.0 x 180	70	TX30 ●	100
954145	5/16" x 3-1/8"	1.89	8.0 x 80	48	TX40 ●	50
954146	5/16" x 4"	2.36	8.0 x 100	60	TX40 ●	50
954147	5/16" x 4-3/4"	2.36	8.0 x 120	60	TX40 ●	50
954148	5/16" x 5-1/2"	3.74	8.0 x 140	95	TX40 ●	50
954149	5/16" x 6-1/4"	3.74	8.0 x 160	95	TX40 ●	50
954150	5/16" x 7-1/8"	3.74	8.0 x 180	95	TX40 ●	50
954151	5/16" x 7-7/8"	3.74	8.0 x 200	95	TX40 ●	50
954152	5/16" x 8-5/8"	3.74	8.0 x 220	95	TX40 ●	50
954153	5/16" x 9-1/2"	3.74	8.0 x 240	95	TX40 ●	50
954154	5/16" x 10-1/4"	3.74	8.0 x 260	95	TX40 ●	50
954155	5/16" x 11"	3.74	8.0 x 280	95	TX40 ●	50
954156	5/16" x 11-7/8"	3.74	8.0 x 300	95	TX40 ●	50
954157	5/16" x 12-5/8"	3.74	8.0 x 320	95	TX40 ●	50
954158	5/16" x 13-3/8"	3.74	8.0 x 340	95	TX40 ●	50
954159	5/16" x 14-1/4"	3.74	8.0 x 360	95	TX40 ●	50
954160	5/16" x 15"	3.74	8.0 x 380	95	TX40 ●	50
954161	5/16" x 15-3/4"	3.74	8.0 x 400	95	TX40 ●	50
954181	5/16" x 16-1/2"	3.74	8.0 x 420	95	TX40 ●	50
954182	5/16" x 17-3/8"	3.74	8.0 x 440	95	TX40 ●	50
954183	5/16" x 18-1/8"	3.74	8.0 x 460	95	TX40 ●	50
954184	5/16" x 18-7/8"	3.74	8.0 x 480	95	TX40 ●	50
954185	5/16" x 19-5/8"	3.74	8.0 x 500	95	TX40 ●	50
954186	5/16" x 21-5/8"	3.74	8.0 x 550	95	TX40 ●	50
954187	5/16" x 23-5/8"	3.74	8.0 x 600	95	TX40 ●	50
954162	3/8" x 4"	2.36	10.0 x 100	60	TX50 ●	50
954163	3/8" x 4-3/4"	2.36	10.0 x 120	60	TX50 ●	50
954164	3/8" x 5-1/2"	3.74	10.0 x 140	95	TX50 ●	50
954165	3/8" x 6-1/4"	3.74	10.0 x 160	95	TX50 ●	50
954166	3/8" x 7-1/8"	3.74	10.0 x 180	95	TX50 ●	50
954167	3/8" x 7-7/8"	3.74	10.0 x 200	95	TX50 ●	50
954168	3/8" x 8-5/8"	3.74	10.0 x 220	95	TX50 ●	50
954169	3/8" x 9-1/2"	3.74	10.0 x 240	95	TX50 ●	50
954170	3/8" x 10-1/4"	3.74	10.0 x 260	95	TX50 ●	50
954171	3/8" x 11"	3.74	10.0 x 280	95	TX50 ●	50
954172	3/8" x 11-7/8"	3.74	10.0 x 300	95	TX50 ●	50
954173	3/8" x 12-5/8"	3.74	10.0 x 320	95	TX50 ●	50
954174	3/8" x 13-3/8"	3.74	10.0 x 340	95	TX50 ●	50
954175	3/8" x 14-1/4"	3.74	10.0 x 360	95	TX50 ●	25
954176	3/8" x 15"	3.74	10.0 x 380	95	TX50 ●	25
954177	3/8" x 15-3/4"	3.74	10.0 x 400	95	TX50 ●	25

ADVANTAGES

- Quicker and easier screwing in with DAG tip
- DAG tip reduces screw-in torque
- Lower splitting effect
- Saw teeth under the head reduce chipping
- TX drive prevents screws from knocking when- screwed in

KONSTRUX ST

Countersunk head, zink-galvanized



Art. no.	Imperial [in]	Dimensions [mm]	Drive-bit	Box size
904857	1/4" x 3-1/8"	6.5 x 80	TX30 ●	100
904858	1/4" x 4"	6.5 x 100	TX30 ●	100
904859	1/4" x 4-3/4"	6.5 x 120	TX30 ●	100
904860	1/4" x 5-1/2"	6.5 x 140	TX30 ●	100
904790	5/16" x 3-3/4"	8.0 x 95	TX40 ●	50
904791	5/16" x 4-7/8"	8.0 x 125	TX40 ●	50
904792	5/16" x 6-1/8"	8.0 x 155	TX40 ●	50
904793	5/16" x 7-5/8"	8.0 x 195	TX40 ●	50
904794	5/16" x 8-5/8"	8.0 x 220	TX40 ●	50
904795	5/16" x 9-5/8"	8.0 x 245	TX40 ●	50
904796	5/16" x 10-5/8"	8.0 x 270	TX40 ●	50
904797	5/16" x 11-5/8"	8.0 x 295	TX40 ●	50
904798	5/16" x 13"	8.0 x 330	TX40 ●	50
904799	5/16" x 14-3/4"	8.0 x 375	TX40 ●	50
904800	5/16" x 15-3/4"	8.0 x 400	TX40 ●	50
904801	5/16" x 16-7/8"	8.0 x 430	TX40 ●	50
904802	5/16" x 18-7/8"	8.0 x 480	TX40 ●	50
904803	5/16" x 21-1/2"	8.0 x 545	TX40 ●	50
904770	3/8" x 4-7/8"	10.0 x 125	TX50 ●	25
904771	3/8" x 6-1/8"	10.0 x 155	TX50 ●	25
904772	3/8" x 7-5/8"	10.0 x 195	TX50 ●	25
904773	3/8" x 8-5/8"	10.0 x 220	TX50 ●	25
904774	3/8" x 9-5/8"	10.0 x 245	TX50 ●	25
904775	3/8" x 10-5/8"	10.0 x 270	TX50 ●	25
904776	3/8" x 11-7/8"	10.0 x 300	TX50 ●	25
904777	3/8" x 13"	10.0 x 330	TX50 ●	25
904778	3/8" x 14-1/4"	10.0 x 360	TX50 ●	25
904779	3/8" x 15-3/4"	10.0 x 400	TX50 ●	25
904780	3/8" x 17-3/4"	10.0 x 450	TX50 ●	25
904781	3/8" x 19-5/8"	10.0 x 500	TX50 ●	25
904782	3/8" x 21-5/8"	10.0 x 550	TX50 ●	25
904783	3/8" x 23-5/8"	10.0 x 600	TX50 ●	25
100090	3/8" x 25-5/8"	10.0 x 650	TX50 ●	25
100091	3/8" x 27-1/2"	10.0 x 700	TX50 ●	25
100092	3/8" x 29-1/2"	10.0 x 750	TX50 ●	25
100093	3/8" x 31-1/2"	10.0 x 800	TX50 ●	25

BENEFITS OF DRILL POINT

- Reduced screwing torque
- High extraction resistance

KONSTRUX ST

Cylinder head, zink-galvanized



Art. no.	Imperial [in]	Dimensions [mm]	Drive-bit	Box size
904808	1/4" x 3-1/8"	6.5 x 80 mm	TX30 ●	100
904809	1/4" x 4"	6.5 x 100 mm	TX30 ●	100
904810	1/4" x 4-3/4"	6.5 x 120 mm	TX30 ●	100
904811	1/4" x 5-1/2"	6.5 x 140 mm	TX30 ●	100
904812	1/4" x 6-1/4"	6.5 x 160 mm	TX30 ●	100
904813	1/4" x 7-11/16"	6.5 x 195 mm	TX30 ●	100
100063	1/4" x 7-5/8"	6.5 x 200 mm	TX30 ●	100
100064	1/4" x 8-5/8"	6.5 x 220 mm	TX30 ●	100
100065	1/4" x 9-1/2"	6.5 x 240 mm	TX30 ●	100
100066	1/4" x 10-1/4"	6.5 x 260 mm	TX30 ●	100
904825	5/16" x 7-1/8"	8.0 x 155 mm	TX40 ●	50
904826	5/16" x 7-5/8"	8.0 x 195 mm	TX40 ●	50
904827	5/16" x 8-5/8"	8.0 x 220 mm	TX40 ●	50
904828	5/16" x 9-5/8"	8.0 x 245 mm	TX40 ●	50
904834	5/16" x 10-5/8"	8.0 x 270 mm	TX40 ●	50
904829	5/16" x 11-5/8"	8.0 x 295 mm	TX40 ●	50
904830	5/16" x 13"	8.0 x 330 mm	TX40 ●	50
904831	5/16" x 14-3/4"	8.0 x 375 mm	TX40 ●	50
904832	5/16" x 15-3/4"	8.0 x 400 mm	TX40 ●	50
944804	5/16" x 16-7/8"	8.0 x 430 mm	TX40 ●	50
944805	5/16" x 18-7/8"	8.0 x 480 mm	TX40 ●	50
944806	5/16" x 20-7/8"	8.0 x 530 mm	TX40 ●	50
944807	5/16" x 22-7/8"	8.0 x 580 mm	TX40 ●	50
904815	3/8" x 11-7/8"	10.0 x 300 mm	TX50 ●	25
904816	3/8" x 13"	10.0 x 330 mm	TX50 ●	25
904817	3/8" x 14-1/4"	10.0 x 360 mm	TX50 ●	25
904818	3/8" x 15-3/4"	10.0 x 400 mm	TX50 ●	25
904819	3/8" x 17-3/4"	10.0 x 450 mm	TX50 ●	25
904820	3/8" x 19-5/8"	10.0 x 500 mm	TX50 ●	25
904821	3/8" x 21-5/8"	10.0 x 550 mm	TX50 ●	25
904822	3/8" x 23-5/8"	10.0 x 600 mm	TX50 ●	25
100080	3/8" x 25-5/8"	10.0 x 650 mm	TX50 ●	25
100081	3/8" x 27-1/2"	10.0 x 700 mm	TX50 ●	25
100082	3/8" x 29-1/2"	10.0 x 750 mm	TX50 ●	25
100083	3/8" x 31-1/2"	10.0 x 800 mm	TX50 ●	25

BENEFITS OF DRILL POINT

- Reduced screwing torque
- High extraction resistance

DO YOU HAVE QUESTIONS REGARDING THIS DESIGN GUIDE OR OTHER TOPICS?

Contact us now!



The specialist for fastening technology

Office.: (+1) 262 254 9309
E-Mail: info@eurotec.us

Eurotec, Inc.

7418 Washington Avenue

Racine, WI 53406

Office.: (+1) 262 254 9309

E-Mail: info@eurotec.us

Home: www.eurotec.us



Follow us



www.eurotec.us