

Assembly wedges, Adjustment blocks

Assembly block

With slit



- Firm grip thanks to special profiled surface
- Slit allows it to be slid onto nails and screws
- Serration inside the slit prevents it from slipping off the nail or screw

Assembly block

Closed



- Firm grip thanks to special profiled surface

Adjustment block

With slit



- Slit allows it to be slid onto nails and screws
- The adjustment blocks can be connected to one another as required
- Serration inside the slit prevents it from slipping off the nail or screw

Adjustment block



- High compressive strength
→ Load-bearing capacity of 2 tons
- When the blocks are stacked, peg and hole connections prevent them from sliding across one another sideways
- Pegs disappear under loading

Mini adjustment block

With slit



- Slit allows it to be slid onto nails and screws
- Serration inside the slit prevents it from slipping off the nail or screw

Art. no.	Dimensions [mm] ^{a)}	Load-bearing capacity [kg]	Height adjustment [mm]	Colour	PU
964550	10 x 70 x 35	≤ 200	10 - 15	Yellow	1000
964551	10 x 77 x 38	≤ 200	10 - 15	White	1000
964552	15 x 88 x 43	≤ 300	15 - 22	Grey	500
964553	25 x 140 x 43	≤ 500	25 - 42	Black	364

a) Height x length x width

Art. no.	Dimensions [mm] ^{a)}	Load-bearing capacity [kg]	Height adjustment [mm]	Colour	PU
964546	8 x 65 x 28	≤ 200	8 - 12	Red	1000
964547	15 x 88 x 43	≤ 500	15 - 22	Grey	550
964548	25 x 140 x 43	≤ 800	25 - 42	Black	364
964549	25 x 140 x 43	≤ 2000	25 - 42	Blue	364

a) Height x length x width

Art. no.	Dimensions [mm] ^{a)}	Load-bearing capacity [kg]	Colour	PU
964561	1 x 80 x 50	≤ 200	Blue	1000
964562	2 x 80 x 50	≤ 200	White	1000
964563	3 x 80 x 50	≤ 200	Red	1000
964564	4 x 80 x 50	≤ 200	Black	1000
964565	5 x 80 x 50	≤ 200	Green	1000
964566	10 x 80 x 50	≤ 200	Yellow	500

a) Height x length x width

Art. no.	Dimensions [mm] ^{a)}	Load-bearing capacity [kg]	Colour	PU
964554	2 x 80 x 50	≤ 2000	Red	500
964555	3 x 80 x 50	≤ 2000	Green	500
964556	5 x 80 x 50	≤ 2000	Blue	500
964557	7 x 80 x 50	≤ 2000	Brown	500
964558	10 x 80 x 50	≤ 2000	Black	500
964559	15 x 80 x 50	≤ 2000	Yellow	250
964560	20 x 80 x 50	≤ 2000	Black	250

a) Height x length x width

Art. no.	Dimensions [mm] ^{a)}	Load-bearing capacity [kg]	Colour	PU
964567	1 x 50 x 38	≤ 200	Blue	500
964568	2 x 50 x 38	≤ 200	White	500
964569	3 x 50 x 38	≤ 200	Red	500
964570	4 x 50 x 38	≤ 200	Black	500
964571	5 x 50 x 38	≤ 200	Green	500
964572	10 x 50 x 38	≤ 200	Yellow	500

a) Height x length x width

Mixed box, assembly wedges

With and without slit



Art. no.	Contents (240 Pcs.)	VPE
964575	80 Pcs. 964546 60 Pcs. 964550 50 Pcs. 964551 40 Pcs. 964547 10 Pcs. 964548	1 Box

Mixed box, assembly wedges

With slit



Art. no.	Contents (100 Pcs.)	PU
964573	50 Pcs. each 964553, 964552	1 Box

Mixed box, adjustment blocks

With slit



Art. no.	Contents (250 Pcs.)	PU
964576	45 Pcs. each 964561, 964562, 964563, 964564, 964565 25 Pcs. 964566	1 Box

Mixed box, adjustment blocks



Art. no.	Contents (140 Pcs.)	PU
964574	50 Pcs. 964554 25 Pcs. each 964555, 964556, 964558 15 Pcs. 964560	1 Box

Mixed box, mini adjustment blocks

With slit



Art. no.	Contents (450 Pcs.)	PU
964577	100 Pcs. each 964567, 964568, 964569, 964570 25 Pcs. each 964571, 964572	1 Box

Mixed box, adjustment blocks 120mm




Art. no.	Contents (450 Pcs.)	PU
964682	30 Pcs. 964578 25 Pcs. 964579 20 Pcs. 964580 10 Pcs. 964581 5 Pcs. 964581	1 Box

NEW
to our product range



Adjustment block L



Art. no.	Dimensions [mm] ^{a)}	Load-bearing capacity [kg]	Colour	PU
964578	2 x 120 x 50	≤ 4000	Red	250
964579	3 x 120 x 50	≤ 4000	Green	250
964580	5 x 120 x 50	≤ 4000	Blue	250
964581	10 x 120 x 50	≤ 4000	White	100
964582	15 x 120 x 50	≤ 4000	Yellow	100

a) Height x length x width

Adjustment block XL



- Suitable for adjusting the height of stud frames
→ Constructive timber protection when used in lining timber stud frames
- High compressive strength
→ Load-bearing capacity of 4 tons
- Two screw holes for fixing in place with screws
- When the blocks are stacked, peg and hole connections prevent them from sliding across
→ Pegs disappear under loading

Art. no.	Dimensions [mm] ^{a)}	Load-bearing capacity [kg]	Colour	PU
964583	2 x 160 x 50	≤ 4000	Red	250
964584	3 x 160 x 50	≤ 4000	Green	250
964585	5 x 160 x 50	≤ 4000	Blue	250
964586	10 x 160 x 50	≤ 4000	White	100
964587	15 x 160 x 50	≤ 4000	Yellow	100

a) Height x length x width

