


H post anchors

Hot-dip galvanised steel

H post anchors



Art. no.	Fork width (mm)	Dimensions ^{a)}		Drill holes ^{b)} Post support (mm)	Pallet quantity	PU
		Overall/Post support (mm)				
Material thickness: 5 mm						
904722	91	600 x 60 / 300		4 x 11	200	1*
904723	101	600 x 60 / 300		4 x 11	200	1*
904724	121	600 x 60 / 300		4 x 11	200	1*
Material thickness: 6 mm						
904737	91	600 x 60 / 300		4 x 11	200	1
904738	101	600 x 60 / 300		4 x 11	200	1
904739	121	600 x 60 / 300		4 x 11	200	1
904740	141	600 x 60 / 300		4 x 11	200	1
Material thickness: 8 mm						
904741	161	800 x 60 / 400		4 x 11	100	1

a) Length x width / length, b) Number x Ø, *Discontinued item

- For fixing square timber posts in place
- Fixed into concrete using H anchor
- Excellent corrosion protection thanks to hot-dip galvanisation

Pyramid post cap

Hot-dip galvanised steel

NEW
to our product range



Art. no.	Dimensions ^{a)} (mm)	PU
904733	71 x 71	1
904734	91 x 91	1
904735	101 x 101	1

a) Length x width

- To protect posts against the effects of weathering
- Visual enhancement thanks to pyramid shape
- Excellent corrosion protection thanks to hot-dip galvanisation

Hammer-in ground sockets

Hot-dip galvanised steel

Hammer-in ground socket

for square posts



Art. no.	Dimensions ^{a)} Post socket (mm)	Length Spike (mm)	Drill hole ^{b)} Post socket (mm)	Pallet quantity	PU
904703	71 x 71 x 150	750	4 x 11	198	1
904704	91 x 91 x 150	750	4 x 11	112	1

a) Length x width x height
b) Number x Ø

- For fixing square timber posts in place
- Socket is fixed into the ground with ground anchors
- Excellent corrosion protection thanks to hot-dip galvanisation

Hammer-in ground socket

for round posts



Art. no.	Dimensions ^{a)} Post socket (mm)	Length Spike (mm)	Drill hole ^{b)} Post socket (mm)	PU
904705	81 x 150	450	4 x 11	1
904706	101 x 150	450	4 x 11	1
904707	121 x 145	605	4 x 11	1

a) Ø x height
b) Number x Ø


- For fixing round timber posts into place
- Socket is fixed into the ground with ground anchors
- Excellent corrosion protection thanks to hot-dip galvanisation

Screw-on sockets, Movable post holders

Hot-dip galvanised steel

Screw-on socket

for square posts




Art. no.	Dimensions ^{a)}	Dimensions ^{b)}	Drill holes ^{c)}	PU
	Post socket (mm)	Baseplate (mm)	Baseplate/Post socket (mm)	
904695	71 x 71 x 150	150 x 150	4 x 11 / 4 x 11	1
904696	91 x 91 x 150	150 x 150	4 x 11 / 4 x 11	1
904697	101 x 101 x 150	150 x 150	4 x 11 / 4 x 11	1
904698	121 x 121 x 150	180 x 180	4 x 11 / 4 x 11	1

a) Length x width x height, b) Length x width, c) Number x Ø

- For fixing square timber posts in place
- Socket is fastened to the subsurface with four screws
- Excellent corrosion protection thanks to hot-dip galvanisation

Screw-on socket

for round posts



Art. no.	Dimensions ^{a)}	Dimensions ^{b)}	Drill holes ^{c)}	PU
	Post socket (mm)	Baseplate (mm)	Baseplate/Post socket (mm)	
904701	101 x 150	150 x 150	4 x 11 / 4 x 11	1
904702	121 x 147	180 x 180	4 x 11 / 4 x 11	1

a) Ø x height, b) Length x width, c) Number x Ø

- For fixing round timber posts into place
- Socket is fastened to the subsurface with four screws
- Excellent corrosion protection thanks to hot-dip galvanisation

Post holder

movable, for round posts



Art. no.	Dimensions ^{a)}	Dimensions ^{b)}	Drill hole ^{c)}	PU
	Post socket (mm)	Baseplate (mm)	Baseplate/Post socket (mm)	
904713	101 x 150	140 x 130	4 x 11 / 3 x 5	1
904714	121 x 150	160 x 150	4 x 11 / 3 x 5	1

a) Ø x height, b) Length x width, c) Number x Ø

- For fixing round timber posts into place
- Socket is fastened to the subsurface with four screws
- Movable upper section allows attachment to inclined subsurfaces
- Excellent corrosion protection thanks to hot-dip galvanisation

U post holder

movable, for square posts



Art. no.	Fork width	Length	Dimensions ^{a)}	Drill holes ^{b)}	PU
	(mm)	Post support (mm)	Baseplate (mm)	Baseplate/Post support (mm)	
904708	71	100	100 x 100	4 x 11 / 6 x 11	1
904709	91	100	100 x 100	4 x 11 / 6 x 11	1

a) Length x width, b) Number x Ø

- For fixing square timber posts in place
- Socket is fastened to the subsurface with four screws
- Movable upper section allows attachment to inclined subsurfaces
- Excellent corrosion protection thanks to hot-dip galvanisation

U post holders, Corner connectors, U brackets

Hot-dip galvanised steel

U post holders



Art. no.	Fork width (mm)	Dimensions ^{a)} Post support (mm)	Drill hole ^{b)} Baseplate/Post support (mm)	PU
904717	71	150 x 60	2 x 11 ; 1 x 14 / 6 x 11	1
904719	91	150 x 60	2 x 11 ; 1 x 14 / 6 x 11	1
904721	101	150 x 60	2 x 11 ; 1 x 14 / 6 x 11	1

a) Length x width, b) Number x Ø

- For fixing square timber posts in place
- The bracket is fastened to the subsurface with three screws
- Post supports in sides provide spacing between the ground and the timber profile, aiding constructive timber protection
- Excellent corrosion protection thanks to hot-dip galvanisation

Corner connectors

for square posts, hot-dip galvanised



Art. no.	Dimensions ^{a)} Post socket (mm)	Dimensions ^{b)} Baseplate (mm)	Drill hole ^{c)} Baseplate/Post socket (mm)	PU
904710	105 x 105 x 200	82 x 155	2 x 11 / 6 x 11	1

a) Length x width x height, b) Length x width, c) Number x Ø

- For fixing square timber posts in place
- The corner connectors are fastened to the subsurface with four screws in total
- Allow variable width adjustment
- Excellent corrosion protection thanks to hot-dip galvanisation

U post holders

with stone pin



Art. no.	Fork width (mm)	Dimensions ^{a)} Post support (mm)	Dimensions ^{b)} Stone pin (mm)	Drill hole ^{c)} Post support (mm)	PU
904716	71	150 x 60	16 x 200	6 x 11	1
904718	91	150 x 60	16 x 200	6 x 11	1
904720	101	150 x 60	16 x 200	6 x 11	1

a) Length x width, b) Ø x height, c) Number x Ø

- For fixing square timber posts in place
- The bracket is fixed in the concrete with a 200 mm long stone pin
- Post supports in sides provide spacing between the ground and the timber profile, aiding constructive timber protection
- Excellent corrosion protection thanks to hot-dip galvanisation

U brackets

for fences, galvanised



Art. no.	Fork width (mm)	Dimensions ^{a)} (mm)	Drill hole ^{b)} Post support (mm)	PU
904711	101	233 x 40	4 x 6	1
904712	121	270 x 40	4 x 6	1

a) Length x width, b) Number x Ø

- For fixing round timber posts into place
- Corrosion protection