


# H post anchors

Hot-dip galvanised steel

## H post anchors



| Art. no.                        | Fork width<br>(mm) | Dimensions <sup>a)</sup>     |  | Drill holes <sup>b)</sup><br>Post support<br>(mm) | Pallet quantity | PU |
|---------------------------------|--------------------|------------------------------|--|---|-----------------|----|
|                                 |                    | Overall/Post support<br>(mm) |  |   |                 |    |
| <b>Material thickness: 5 mm</b> |                    |                              |  |   |                 |    |
| 904722                          | 91                 | 600 x 60 / 300               |  | 4 x 11  | 200             | 1* |
| 904723                          | 101                | 600 x 60 / 300               |  | 4 x 11  | 200             | 1* |
| 904724                          | 121                | 600 x 60 / 300               |  | 4 x 11  | 200             | 1* |
| <b>Material thickness: 6 mm</b> |                    |                              |  |   |                 |    |
| 904737                          | 91                 | 600 x 60 / 300               |  | 4 x 11  | 200             | 1  |
| 904738                          | 101                | 600 x 60 / 300               |  | 4 x 11  | 200             | 1  |
| 904739                          | 121                | 600 x 60 / 300               |  | 4 x 11  | 200             | 1  |
| 904740                          | 141                | 600 x 60 / 300               |  | 4 x 11  | 200             | 1  |
| <b>Material thickness: 8 mm</b> |                    |                              |  |   |                 |    |
| 904741                          | 161                | 800 x 60 / 400               |  | 4 x 11  | 100             | 1  |

a) Length x width / length, b) Number x Ø, \*Discontinued item

- For fixing square timber posts in place
- Fixed into concrete using H anchor
- Excellent corrosion protection thanks to hot-dip galvanisation

## Pyramid post cap

Hot-dip galvanised steel

**NEW**  
to our product range



| Art. no. | Dimensions <sup>a)</sup> (mm) | PU |
|----------|-------------------------------|----|
| 904733   | 71 x 71                       | 1  |
| 904734   | 91 x 91                       | 1  |
| 904735   | 101 x 101                     | 1  |

a) Length x width

- To protect posts against the effects of weathering
- Visual enhancement thanks to pyramid shape
- Excellent corrosion protection thanks to hot-dip galvanisation

# Hammer-in ground sockets

Hot-dip galvanised steel

## Hammer-in ground socket

for square posts



| Art. no. | Dimensions <sup>a)</sup><br>Post socket<br>(mm) | Length<br>Spike<br>(mm) | Drill hole <sup>b)</sup><br>Post socket<br>(mm) | Pallet quantity | PU |
|----------|---|-------------------------|---|-----------------|----|
| 904703   | 71 x 71 x 150                                   | 750                     | 4 x 11  | 198             | 1  |
| 904704   | 91 x 91 x 150                                   | 750                     | 4 x 11  | 112             | 1  |

a) Length x width x height  
b) Number x Ø

- For fixing square timber posts in place
- Socket is fixed into the ground with ground anchors
- Excellent corrosion protection thanks to hot-dip galvanisation

## Hammer-in ground socket

for round posts



| Art. no. | Dimensions <sup>a)</sup><br>Post socket (mm) | Length<br>Spike (mm) | Drill hole <sup>b)</sup><br>Post socket (mm) | PU |
|----------|--|----------------------|--|----|
| 904705   | 81 x 150                                     | 450                  | 4 x 11                                       | 1  |
| 904706   | 101 x 150                                    | 450                  | 4 x 11                                       | 1  |
| 904707   | 121 x 145                                    | 605                  | 4 x 11                                       | 1  |

a) Ø x height  
b) Number x Ø


- For fixing round timber posts into place
- Socket is fixed into the ground with ground anchors
- Excellent corrosion protection thanks to hot-dip galvanisation

# Screw-on sockets, Movable post holders

Hot-dip galvanised steel

## Screw-on socket

for square posts




| Art. no. | Dimensions <sup>a)</sup><br>Post socket (mm) | Dimensions <sup>b)</sup><br>Baseplate (mm) | Drill holes <sup>c)</sup><br>Baseplate/Post socket (mm) | PU |
|----------|--|--|---|----|
| 904695   | 71 x 71 x 150                                | 150 x 150                                  | 4 x 11 / 4 x 11   | 1  |
| 904696   | 91 x 91 x 150                                | 150 x 150                                  | 4 x 11 / 4 x 11   | 1  |
| 904697   | 101 x 101 x 150                              | 150 x 150                                  | 4 x 11 / 4 x 11   | 1  |
| 904698   | 121 x 121 x 150                              | 180 x 180                                  | 4 x 11 / 4 x 11   | 1  |

a) Length x width x height, b) Length x width, c) Number x Ø

- For fixing square timber posts in place
- Socket is fastened to the subsurface with four screws
- Excellent corrosion protection thanks to hot-dip galvanisation

## Screw-on socket

for round posts



| Art. no. | Dimensions <sup>a)</sup><br>Post socket (mm) | Dimensions <sup>b)</sup><br>Baseplate (mm) | Drill holes <sup>c)</sup><br>Baseplate/Post socket (mm) | PU |
|----------|--|--|---|----|
| 904701   | 101 x 150                                    | 150 x 150                                  | 4 x 11 / 4 x 11   | 1  |
| 904702   | 121 x 147                                    | 180 x 180                                  | 4 x 11 / 4 x 11   | 1  |

a) Ø x height, b) Length x width, c) Number x Ø

- For fixing round timber posts into place
- Socket is fastened to the subsurface with four screws
- Excellent corrosion protection thanks to hot-dip galvanisation

## Post holder

movable, for round posts



| Art. no. | Dimensions <sup>a)</sup><br>Post socket (mm) | Dimensions <sup>b)</sup><br>Baseplate (mm) | Drill hole <sup>c)</sup><br>Baseplate/Post socket (mm) | PU |
|----------|--|--|--|----|
| 904713   | 101 x 150                                    | 140 x 130                                  | 4 x 11 / 3 x 5   | 1  |
| 904714   | 121 x 150                                    | 160 x 150                                  | 4 x 11 / 3 x 5   | 1  |

a) Ø x height, b) Length x width, c) Number x Ø

- For fixing round timber posts into place
- Socket is fastened to the subsurface with four screws
- Movable upper section allows attachment to inclined subsurfaces
- Excellent corrosion protection thanks to hot-dip galvanisation

## U post holder

movable, for square posts



| Art. no. | Fork width<br>(mm) | Length<br>Post support (mm) | Dimensions <sup>a)</sup><br>Baseplate (mm) | Drill holes <sup>b)</sup><br>Baseplate/Post support (mm) | PU |
|----------|--------------------|-----------------------------|--|--|----|
| 904708   | 71                 | 100                         | 100 x 100                                  | 4 x 11 / 6 x 11  | 1  |
| 904709   | 91                 | 100                         | 100 x 100                                  | 4 x 11 / 6 x 11  | 1  |

a) Length x width, b) Number x Ø

- For fixing square timber posts in place
- Socket is fastened to the subsurface with four screws
- Movable upper section allows attachment to inclined subsurfaces
- Excellent corrosion protection thanks to hot-dip galvanisation

# U post holders, Corner connectors, U brackets

Hot-dip galvanised steel

## U post holders



| Art. no. | Fork width (mm) | Dimensions <sup>a)</sup> Post support (mm) | Drill hole <sup>b)</sup> Baseplate/Post support (mm) | PU |
|----------|-----------------|--|--|----|
| 904717   | 71              | 150 x 60                                   | 2 x 11 ; 1 x 14 / 6 x 11                             | 1  |
| 904719   | 91              | 150 x 60                                   | 2 x 11 ; 1 x 14 / 6 x 11                             | 1  |
| 904721   | 101             | 150 x 60                                   | 2 x 11 ; 1 x 14 / 6 x 11                             | 1  |

a) Length x width, b) Number x Ø

- For fixing square timber posts in place
- The bracket is fastened to the subsurface with three screws
- Post supports in sides provide spacing between the ground and the timber profile, aiding constructive timber protection
- Excellent corrosion protection thanks to hot-dip galvanisation

## Corner connectors

for square posts, hot-dip galvanised



| Art. no. | Dimensions <sup>a)</sup> Post socket (mm) | Dimensions <sup>b)</sup> Baseplate (mm) | Drill hole <sup>c)</sup> Baseplate/Post socket (mm) | PU |
|----------|---|---|---|----|
| 904710   | 105 x 105 x 200                           | 82 x 155                                | 2 x 11 / 6 x 11                                     | 1  |

a) Length x width x height, b) Length x width, c) Number x Ø

- For fixing square timber posts in place
- The corner connectors are fastened to the subsurface with four screws in total
- Allow variable width adjustment
- Excellent corrosion protection thanks to hot-dip galvanisation

## U post holders

with stone pin



| Art. no. | Fork width (mm) | Dimensions <sup>a)</sup> Post support (mm) | Dimensions <sup>b)</sup> Stone pin (mm) | Drill hole <sup>c)</sup> Post support (mm) | PU |
|----------|-----------------|--|---|--|----|
| 904716   | 71              | 150 x 60                                   | 16 x 200                                | 6 x 11                                     | 1  |
| 904718   | 91              | 150 x 60                                   | 16 x 200                                | 6 x 11                                     | 1  |
| 904720   | 101             | 150 x 60                                   | 16 x 200                                | 6 x 11                                     | 1  |

a) Length x width, b) Ø x height, c) Number x Ø

- For fixing square timber posts in place
- The bracket is fixed in the concrete with a 200 m long stone pin
- Post supports in sides provide spacing between the ground and the timber profile, aiding constructive timber protection
- Excellent corrosion protection thanks to hot-dip galvanisation

## U brackets

for fences, galvanised



| Art. no. | Fork width (mm) | Dimensions <sup>a)</sup> (mm) | Drill hole <sup>b)</sup> Post support (mm) | PU |
|----------|-----------------|-------------------------------|--|----|
| 904711   | 101             | 233 x 40                      | 4 x 6                                      | 1  |
| 904712   | 121             | 270 x 40                      | 4 x 6                                      | 1  |

a) Length x width, b) Number x Ø

- For fixing round timber posts into place
- Corrosion protection